

SAFETY DATA SHEET (SDS)

Section 1. Identification			
1.1 Product identifier	FUSION STAIN AND FINISHING OIL		
Other means of identification	Finishing oil for wood		
1.2 Recommended use and restrictions on use	Oil		
1.3 Initial supplier identifier	EVO Home Finishing Inc.; 803 de la Caniapiscou, Chicoutimi, Qc, G7K 0A8 418-698-2885 & 888-987-2885		
1.4 Emergency telephone number/restriction on use	Canada – CANUTEC 24 hour number 613-996-6666		
Section 2. Hazard identification			
2.1 Classification of hazardous product (name of the category or subcategory of the hazard class)	Reg. (EC) 1272/2008 (CLP)		
Flammable liquids (Category 4) Germ Cell Mutagenicity (Category 1) Carcinogenicity (Category 2) – for Driftwood; Cappuccino; White			
2.2 Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)	according to Regulation (EC) 1272/2008 (CLP)		
			
Danger H227 Combustible liquid. H340 May cause genetic defects. H350 May cause cancer. EUH066: Repeated exposure may cause skin dryness or cracking. P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear gloves/protective clothing/eye protection/face protection. P308 + P313 IF exposed or concerned: Get medical attention. P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish. P403 Store in a well-ventilated area. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.			
2.3 Other hazards known	DANGER OF COMBUSTION - Materials such as rags used with this product may begin to burn by themselves. After use, put rags in water or lay flat to dry, then discard.		
Section 3. Composition/information on ingredients			
3.2 Mixture			
Chemical name (common name/synonyms)	CAS number or other	Concentration (%)	Classification EC/GHS
Hydrocarbons, C11-C14, Isoalkanes, cyclics, < 2% aromatics	EC927-285-2 1174522-15-6	25-50	H304/EUH066
Vegetal oil-based resin (contains up to Linseed and wood oil 61% in length)	68649-95-6/8001-26-1	25-50	VOIR SECTIONS 2.3
Coloring paste (black; white; blue; magenta; burn umber; red; yellow) contains...	---	<20	---
Mixture of Petroleum distillates and Naphtha	64742-94-5/EC265-198-5 64742-48-9/EC265-150-3	<10	H304 H340/H350
Titanium dioxide (present in Driftwood; Cappuccino; White)	13463-67-7/EC236-675-5	<15	H351
Other non-hazardous ingredients	---	---	---
* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).			
Section 4. First-aid measures			
4.1 Description of the first-aid measures			
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.		
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.		
Skin contact	IF ON SKIN: Wash with plenty of water (5-10 minutes).		
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (5-10 minutes). Remove contact lenses, if present and easy to do.		
4.2 Most important symptoms and effects (acute or delayed)	Causes transient slight skin or eye irritation.		
4.3 Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.		

Section 5. Fire-fighting measures			
5.1 Suitable and unsuitable extinguishing media			
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.			
5.2 Specific hazards of the hazardous product (hazardous combustion products)			
Carbon oxides and other irritant/toxic gases and fumes.			
5.3 Special protective equipment and precautions for fire-fighters			
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.			
Section 6. Accidental release measures			
6.1 Personal precautions, protective equipment and emergency procedures			
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).			
6.2/6.3/6.4 Methods and materials for containment and cleaning up			
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.			
Section 7. Handling and storage			
7.1 Precautions for safe handling			
Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.			
7.2/7.3 Conditions for safe storage, including any incompatibilities			
Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.			
Section 8. Exposure controls/Personal protection			
8.1 Control parameters (biological limit values or exposure limit values and source of those values)			
Exposure limits: CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m ³ & OEL-TWA 10 mg/m ³ (Respirable) & 10 mg/m ³ (Inhalable); CAS 64742-48-9 OEL-TWA 300 mg/m ³ & 600 mg/m ³ (STEL);			
8.2 Appropriate engineering controls			
Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.			
Individual protection measures/personal protective equipment			
Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.			
Section 9. Physical and chemical properties			
Appearance, physical state/colour	Viscous liquid; Different colour	Vapour pressure	Not available
Odour	Fresh	Vapour density	Not available
Odour threshold	Not available	Relative density	Not available
pH	Not available	Solubility	Insoluble
Melting/freezing point	Not available	Partition coefficient - n-octanol/water	Not available
Initial boiling point/range	Not available	Auto-ignition temperature	Not available
Flash point	60-93°C (approx. 62°C closed cup)	Decomposition temperature	Not available
Evaporation rate	Not available	Viscosity	Not available
Flammability (solids and gases)	Not available	VOC	Not available
Upper and lower flammability/explosive limits	Not available	Other	None known

Section 10. Stability and reactivity	
10.1 Reactivity	
Does not react under the recommended storage and handling conditions prescribed.	
10.2 Chemical stability	
Stable under the recommended storage and handling conditions prescribed.	
10.3 Possibility of hazardous reactions	
DANGER OF COMBUSTION - Materials such as rags used with this product may begin to burn by themselves. After use, put rags in water or lay flat to dry, then discard.	
10.4 Conditions to avoid (static discharge, shock or vibration)	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. DANGER OF COMBUSTION - Materials such as rags used with this product may begin to burn by themselves. After use, put rags in water or lay flat to dry, then discard.	
10.5 Incompatible materials	
Oxidizing materials; etc.	
10.6 Hazardous decomposition products	
None known	
Section 11. Toxicological information	
11.1 Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)	
Causes transient slight skin or eye irritation. May cause genetic defects. Driftwood; Cappuccino; White – May cause cancer.	
Symptoms related to the physical, chemical and toxicological characteristics	
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing.	
Delayed and immediate effects (chronic effects from short-term and long-term exposure)	
Skin Sensitization – No data available; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – Possible; Carcinogenicity – Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.	
Numerical measures of toxicity (ATE, LD₅₀ & LC₅₀)	
No data available. ATE not available in this document.	
Section 12. Ecological information	
12.1 Ecotoxicity (aquatic and terrestrial information)	
No data available for the product.	
12.2 Persistence and degradability	No data available
12.3 Bioaccumulative potential	No data available
12.4 Mobility in soil	No data available
12.5 Results of PBT and vPvB assessment	No data available
12.6 Additional information	No data available
12.7 Other adverse effects	No data available
Section 13. Disposal considerations	
13.1 Information on safe handling for disposal/methods of disposal/contaminated packaging	
Dispose of contents/container into safe container in accordance with local, regional or national regulations.	
Section 14. Transport information	
14.1/14.2/14.3/14.4 UN number; Proper shipping name; Class(es); Packing group (PG) of the ADR/RID Regulations	
NOT REGULATED	
14.1/14.2/14.3/14.4 UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)	
NOT REGULATED	
14.1/14.2/14.3/14.4 UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)	
NOT REGULATED	
14.5 Environmental hazards (IMDG or other)	None
14.6 Special precautions (transport/conveyance)	None
14.7 Bulk transport (usually more than 450 L in capacity)	Possible

Section 15. Regulatory information	
15.1 Safety/health European regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Regulation (EC) 1272/2008 (CLP).
Environmental European regulations specifics	Refer to Section 3 for ingredient(s).
15.2 Safety/health/environmental outside regulations specifics	
None known	
Section 16. Other information	
Date of the latest revision of the safety data sheet	November 09, 2021 version 1
References	Safety Data Sheets from manufacturer/supplier & from ECHA (European Chemical Agency).
Classification (EC)	H227 – Flammable liquid, H228 – Flammable solid H304 – Harmful if swallowed, H314 – Causes skin irritation, H335 – Irritation to the respiratory system H305 – Harmful if swallowed, H315 – Causes skin irritation, H335 – Irritation to the respiratory system H314 – Causes skin irritation, H335 – Irritation to the respiratory system H350 – May cause cancer EUH066 – May be fatal if inhaled
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ADR/RID	European Agreement concerning the International Carriage of Dangerous Goods by Road and the Regulations concerning the International Carriage of Dangerous Goods by Rail
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
EC	European Communities
EINECS	European Inventory of Existing Commercial Chemical Substances
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NOTE L	Classification does not apply if less than 3 % DMSO extract
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System
To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.	